



Street Sweeper - Euro6







Maximum efficiency

The adjustable working width of the side brushes guarantees maximum cleaning in all conditions.

Maximum suction

The suction mouth and powerful suction turbine are able to efficiently collect materials such as gravel, sand and bulky fragments.

Maximum autonomy

The large capacity of the water tank ensures maximum operating autonomy by reducing downtime.



Accessibility

Maintenance hatch under the driver's seat for checking and cleaning the suction pipe.

Easy maintenance

free of electronic components, with belt drive.



Quick assistance

Water tanks located to the side and easily removable.

Access to all main components for maintenance and repair.







Safe driving

Large standard tyres, axle suspension and optimal weight distribution ensure a safe and balanced ride.

Powerful transmission

Thanks to its powerful transmission, the machine can also be used in difficult conditions and on slopes.



Manoeuvrability

La sterzata mediante lo snodo centrale dei due semitelai, sincronizzata e con idroguida, rende di gran lunga più semplici anche le manovre più complesse.



Side brushes

Full-movement side brushes are ideal for sweeping corners and gutters and for increasing the working surface..

Visibility

the convex front glass facilitates daily operations on the mouth and suction hose



Accessories

A high-pressure unit and a manual suction hose can be added as optional working tools to extend the range of possible operations









Low engine emissions

Euro 6C engine. The engine complies with the latest European regulations on of emissions.


Reduced consumption of water


The Dulevo recycling system allows the machine to work while drastically reducing water consumption.


Low sound powersound power

Inferiore ai 100 db grazie al Load Sensing.









Technical data		850
Variable sweeping width	mm	1500 - 1850
Grosse volume capacity	m³	0,85
Grosse volume capacity OPT	m³	1,09
Dumping height	mm	1400
Seats in the cabin	n°	1
Cleaning performance	m²/h	22.000
Maximum speed	Km/h	25 - 27
Turning diameter (kerb to kerb)	mm	5600
PM Certification		PM 2,5/PM10****
Brand engine		Yanmar
Engine emissions		Step V / Tier 4
Fuel		Diesel







Dulevo International S.p.A. Via Giovannino Guareschi, 1 43012 Fontanellato (PR) Italia

Tel: +39-0521-827711 Fax: +39-0521-827795

www.dulevo.com