



**DULEVO**  
FAYAT GROUP




**BOOST LINE**  
SCRUBBERS 20.0-30.0-50.0-90.0

## BOOST 20.0




The Dulevo Boost 20.0 floor cleaning model is an ideal work tool for small commercial or artisan areas, easy to use and be stored in very tight spaces without creating clutter. The battery-operated version is equipped with a practical built-in charger that can recharge from any socket without having to create a specific charging space. On the other hand, the 220 V powered version is the best in terms of convenience. Not being restricted to the battery life, it is always ready to be used.



## BOOST 30.0




A professional cleaning machine for a very restricted work place. Its particular design means that, despite its minimised size and weight, the brush can exert high pressure on the ground. This allows the Dulevo Boost 30.0 floor cleaning model to clean very dirty surfaces without sacrificing manoeuvrability and lightness of use. The range has been designed to satisfy all needs and is available or without motorised wheels.




## BOOST 50.0



The various versions of the Dulevo Boost 50.0 floor cleaning model is a professional cleaning machine suitable to be used in any application – industrial to retail, logistics to public areas. In fact, it is an indisputable machine, specifically designed for average to heavy professional use. Although this is a professional tool, this floor cleaner is very ergonomic and particularly easy to use even by inexperienced people.



A powerful and reliable floor cleaner that does not fail when hard work is to be accomplished. The design, components and ergonomics of this floor cleaner are designed for heavy industrial or domestic use. In view of its professional and prolonged use, particular consideration was also attributed to the hourly cost of operation as a key factor of productivity. The Dulevo Boost 90.0 is also available with roller brushes. This particular washing/sweeping version allows you to thoroughly wash any surface without having to previously clear the area from solid debris.



TECHNICAL DATA		BOOST 20.0		BOOST 30.0			BOOST 50.0				BOOST 90.0	
		20.4 <sup>E</sup>	20.4 <sup>B</sup>	30.5 <sup>E</sup>	30.5 <sup>B</sup>	30.5 <sup>BT</sup>	50.5 <sup>E</sup>	50.5 <sup>BT</sup>	50.6 <sup>BT2</sup>	RULLI 50.5 <sup>BTR</sup>	90.7 <sup>BT2</sup>	90.9 <sup>BT2</sup>
Model												
Scrubbing path	mm	430		450			500		600	505	650	850
Squeegee path	mm	440		670			750		850	750	980	
Cleaning performance	m <sup>2</sup> /h	1720		1800			2000		2400	2020	3250	4250
Solution tank	L	17		30			50				90	
Recovery tank	L	20		30			50				77	
Traction		-		-			Front		Front		Front	
Brush diameter / number	mm/n°	430/1		450/1			500/1		305/2	110/2	330/2	410/2
Voltage	V	230	24	230	24	24	230	24		24		
Length	mm	700		800			1000		1030	1160	1330	1350
Width	mm	500		460			550		710	610	700	850
Height	mm	1200 (570)		900			1060				1070	
Weight without Batteries	Kg	40		60			80	91	105		118	126



COD. F031AI0000 Ed. 01-2021 © (copyright) 2014 Dulevo International S.p.a.

Specifications are not binding for our company and subject to change at any time without notice



**DULEVO**  
FAYAT GROUP



Dulevo International S.p.A.  
Via Giovannino Guareschi, 1  
43012 Fontanellato (PR) Italia  
Tel: +39-0521-827711  
Fax: +39-0521-827795  
[www.dulevo.com](http://www.dulevo.com)



Scrubbers