

# SWEEPERS



**DULEVO**

FAYAT GROUP

TIMELESS QUALITY THROUGH PASSION

**52 - 74**



TECHNICAL DATA		52EH	52BS*	74EH	74BS*
Sweeping width :					
-with main broom	mm	500			700
-with Rh side brush	mm		700		900
-width with Rh + Lh side brushes	mm		900		1100
Hopper capacity	L	40			50
Maximum dump height	mm	-			-
Cleaning performance	m <sup>2</sup> /h	4000			5000
Maximum speed	Km/h	4,5			4,5
Filter material		cotton-polyester / membrane PTFE (opt)			
Fuel		battery	gasoline	battery	gasoline

\*Available for the market outside Europe

**75**



TECHNICAL DATA		75EH	75SH
Sweeping width :			
-with main broom	mm		700
-with Rh side brush	mm		950
-width with Rh + Lh side brushes	mm		1200
Hopper capacity	L		80
Maximum dump height	mm		-
Cleaning performance	m <sup>2</sup> /h		7200
Maximum speed	Km/h		6
Filter material		cotton-polyester / membrane PTFE (opt)	
Fuel		battery	gasoline/ LPG

**1100  
1300**



TECHNICAL DATA		1100EH	1100BS*	1100DL	1300EH	1300DL
Sweeping width :						
-with main broom	mm		750			900
-with Rh side brush	mm		1140			1200
-width with Rh + Lh side brushes	mm		1440			1500
Hopper capacity	L		120			170
Maximum dump height	mm		1325			1350
Cleaning performance	m <sup>2</sup> /h		10080			10500
Maximum speed	Km/h		7			7
Filter material		cotton-polyester / membrane PTFE (opt)				
Fuel		battery	gasoline	diesel	battery	diesel

\*Available for the market outside Europe

90



TECHNICAL DATA		90EH	90BK	90DK
Sweeping width :				
-with main broom	mm		900	
-with Rh side brush	mm		1200	
-width with Rh + Lh side brushes	mm		1500	
Hopper capacity	L		170	
Maximum dump height	mm		1350	
Cleaning performance	m <sup>2</sup> /h	9000	13500	
Maximum speed	Km/h	6	9	
Filter material		cotton-polyester / membrane PTFE (opt)		
Fuel		battery	gasoline / LPG	diesel

100



TECHNICAL DATA		100EH	100BK	100DK
Sweeping width :				
-with main broom	mm		1000	
-with Rh side brush	mm		1350	
-width with Rh + Lh side brushes	mm		1700	
-with 3rd front brush (180°)	mm		2000	
Hopper capacity	L		190	
Maximum dump height	mm		1500	
Cleaning performance	m <sup>2</sup> /h	14000	22000	
Maximum speed	Km/h	7	11	
Filter material		cotton-polyester / membrane PTFE (opt)		
Fuel		battery	gasoline / LPG	diesel

120



TECHNICAL DATA		120EH	120BK	120DK
Sweeping width :				
-with main broom	mm		1200	
-with Rh side brush	mm		1500	
-width with Rh + Lh side brushes	mm		1800	
-with 3rd front brush (180°)	mm		2050	
Hopper capacity	L		450	
Maximum dump height	mm		1500	
Cleaning performance	m <sup>2</sup> /h	16400	20500	16400
Maximum speed	Km/h	8	10	8
Filter material		cotton-polyester / membrane PTFE (opt)		
Fuel		battery	gasoline/ LPG	diesel



Specifications are not binding for our company and subject to change at any time without notice



QUALITY, INNOVATION AND RESPECT FOR THE ENVIRONMENT.

**Dulevo Certifications:**

ISO 14001  
ENVIRONMENTAL  
SYSTEM  
CERTIFICATION



ISO 9001  
QUALITY  
SYSTEM  
CERTIFICATION



ISO 45001  
SAFETY  
SYSTEM  
CERTIFICATION



EUnited PM TEST  
COLLECTION AND  
FILTRATION  
DUST



**DULEVO**  
FAYAT GROUP

Dulevo International S.p.A.

Via Giovannino Guareschi, 1  
43012 Fontanellato (PR) Italia

Tel: +39-0521-827711

Fax: +39-0521-827795

[www.dulevo.com](http://www.dulevo.com)